



PRODUCT CERTIFICATE

No.: CQC11002057658

NAME AND ADDRESS OF THE APPLICANT

Everel Group S.p.A.
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), Italy

NAME AND ADDRESS OF THE MANUFACTURER

Everel Group S.p.A.
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), Italy

NAME AND ADDRESS OF THE FACTORY

Everel Group S.p.A. (V012846)
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), Italy

NAME, MODEL AND SPECIFICATION

Switch for Appliances

L5 Series 10(6)A 250V~ T125/55 5E4, 16(4)A 250V~ T125/55 1E4, 12(8)A 250V~ T125/55 1E4 IP40 PTI250

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB15092.1-2010

CERTIFICATION MODEL

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned products have met the requirements of certification rules
CQC11-462124-2009.

Date of issue: Mar.29,2016

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing
certification body until the expiry date.

Date of original certification: Apr.21,2011

President:


Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0084515



产品认证证书

证书编号: CQC11002057658

申请人名称及地址

Everel Group S. p. A.
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), 意大利

制造商名称及地址

Everel Group S. p. A.
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), 意大利

生产企业名称及地址

Everel Group S. p. A. (V012846)
Via Cavour 9 37067 VALEGGIO SUL MINCIO (VR), 意大利

产品名称和系列、规格、型号

按钮开关(器具开关)

L5 系列 10(6)A 250V~ T125/55 5E4, 16(4)A 250V~ T125/55 1E4, 12(8)A 250V~ T125/55 1E4 IP40 PTI250
耐热3级 插片端子 锡焊端子 污染等级3 系列命名见证书附件

产品标准和技术要求

GB15092.1-2010

认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合CQC11-462124-2009认证规则的要求, 特发此证。

发证日期: 2016年03月29日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2011年04月21日

主任: _____



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0084515



产品认证证书

附录:

第 1 页 共 1 页

证书编号: CQC11002057658

纸号: 84515

命名方式:

L5.XX.8

L5 表示系列号

XX 表示电路形式: 1H 代表 1 极, 按钮开/按钮关 (1POLE,PUSH TO ON/PUSH TO OFF)

2H 代表 2 极, 按钮开/按钮关 (2POLES,PUSH TO ON/PUSH TO OFF)

1M 表示 1 极, 瞬间动作 (1 POLE,MOMENTARY ACTION)

2M 表示 2 极, 瞬间动作 (2 POLES,MOMENTARY ACTION)

8 表示额定值: 8 代表 T125/55

注: 此附录与证书同时使用时有效。

主任:



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>